

SPECIFICATION FOR 50-37^{kg} RAIL COMPROMISE FISH PLATE

行印	規 範 審 核 章						
	訂修	定核	司程工總	長 處	長 課	長 股	辦 經
長 課	民國 年 月 日	民國 77 年 10 月 27 日	總 程 司 嚴 克 剛	工 務 處 長 張 其 德	技 術 課 長 張 其 德	股 務 長 張 其 德	經 辦 張 其 德

SPECIFICATION FOR COMPROMISE FISH PLATE1. Scope

This standard specifies compromise fish plate to be used in between 50N Rail and 37kg Rail.

2. Material

The material of compromise fish plate shall conform to S35C - S50C as specified in JIS G4051.

3. Method of manufacture

Compromise fish plate shall be manufactured by forging or machining and be heat treated.

4. Shape and dimension

The shape and dimension of compromise fish plate shall be as per attached drg.

5. Appearance

Compromise fish plate shall be free from injurious flams, twists, cambars and other defects.

6. Marking

The following marks shall be stamped or embossed on out side of web.

- (1) Kind : 50-37
- (2) Type : A or B
- (3) Abbreviation of manufacturer's name

7. Packing

About 1.5MT to be hoop bundled on wooden pallet.

8. Protection

Machine oil shall be sprayed.

